Solar activity was at very low to low levels. A few weak C-class flares were observed from Region 2294 (S14, L=023, class/area Dai/090 on 28 Feb). Weak to mid-level flares were observed from Region 2290 (N20, L=055, class/area Dai/070 on 24 Feb) including a C5/Sf flare at 28/0939 UTC and a C6.8 flare at 01/1613 UTC. Numerous CMEs were observed during the period including a pair of back-sided full-halo CMEs observed early and late on 28 Feb. None of the CMEs were determined to be Earth-directed.

No proton events were observed at geosynchronous orbit. However, slight enhancements above background were observed on 23 Feb and 27-28 Feb due to back-sided activity.

The greater than 2 MeV electron flux at geosynchronous orbit was at normal levels on 23-24 Feb and again on 01 Mar. Moderate levels were observed on 25-28 Feb with a peak flux of 367 pfu observed at 27/1650 UTC.

Geomagnetic field activity was at quiet to minor storm levels on 23-24 Feb due to effects from a positive polarity, trans-equatorial coronal hole high speed stream (CH HSS). Quiet to unsettled levels predominated on 25 Feb through midday on 28 Feb. Activity increased to quiet to minor storm levels midday on 28 Feb through 01 Mar due to a co-rotating interaction region (CIR) in advance of a recurrent negative polarity CH HSS.

Measurements from the ACE satellite indicated high speed winds near 550 km/s early on 24 Feb. IMF Bt peaked at 15 nT midday on 23 Feb while the Bz component varied between +14 to -13 nT on 23-24 Feb. Phi angle was in a predominately positive (away) sector through early on 27 Feb.

Wind parameters decayed to nominal conditions through midday on 28 Feb when CIR effects were observed through the end of the period. Wind speeds increased to near 600 km/s early on 01 Mar. IMF Bt increased to a peak of 14 nT by 28/2000 UTC while the Bz component rotated between +8 nT to -10 nT from late on the 28th through early on the 1st. Phi angle was in a mostly negative (towards) sector, with some positive rotation, from early on 27 Feb through the end of the period.

#### Space Weather Outlook 02 March - 28 March 2015

Solar activity is expected to be at very low to low levels on 02-04 Mar and 19-28 Mar. From 05-18 Mar, R1 (minor) activity is possible due to the return of old Region 2282 (N11, L=191), an M-class producer on its previous transit.

No proton events are expected at geosynchronous orbit in the absence of any significant solar activity.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at moderate to



high levels on 02-04 Mar and normal to moderate levels from 05-28 Mar.

Geomagnetic field activity is expected to be at predominately quiet to unsettled levels throughout the outlook period. Unsettled to active conditions are expected on 02-04 Mar, 07-08 Mar, 14 Mar, 16-18 Mar, 22-24 Mar and 27-28 Mar with minor storm (G1-minor) activity possible on 02 Mar and 28 Mar due to numerous recurrent coronal hole high speed streams.



### Daily Solar Data

	Radio Sun Sunspot X-ray			Flares								
	Flux	spot	Area	Background		X-ra	<u>y</u>		О	ptica	ıl	
Date	10.7cm	No.	(10 <sup>-6</sup> hemi.)	Flux	C	M	X	S	1	2	3	4
23 February	117	44	80	B3.3	1	0	0	1	0	0	0	0
24 February	114	63	120	B2.8	1	0	0	1	0	0	0	0
25 February	111	64	100	B2.8	0	0	0	0	0	0	0	0
26 February	111	39	70	B2.5	0	0	0	0	0	0	0	0
27 February	118	58	200	B3.3	1	0	0	3	0	0	0	0
28 February	123	70	220	B4.4	7	0	0	7	0	0	0	0
01 March	128	66	210	B6.2	3	0	0	10	0	0	0	0

# Daily Particle Data

	(pro	Proton Fluen otons/cm <sup>2</sup> -da		Electron Fluence (electrons/cm <sup>2</sup> -day -sr)
Date	>1 MeV	>10 MeV	>100 MeV	>0.6 MeV >2MeV >4 MeV
23 February	5.7e+05	1.8e+04	2.5e+03	2.9e+05
24 February	5.5e + 05	1.2e+04	2.4e+03	5.2e+05
25 February	4.8e + 05	1.3e+04	2.6e + 03	3.8e+06
26 February	5.4e + 05	1.4e + 04	2.6e + 03	9.6e+06
27 February	1.7e + 06	2.2e+04	2.6e+03	1.3e+07
28 February	1.7e + 06	2.4e+04	2.6e+03	3.8e+06
01 March	1.9e+05	1.1e+04	2.5e+03	1.4e+06

### Daily Geomagnetic Data

		Aiddle Latitude		High Latitude	Estimated			
	I	Fredericksburg		College		Planetary		
Date	A	K-indices	A	K-indices	A	K-indices		
23 February	14	3-2-2-3-3-4-2-3	25	2-1-4-5-5-3-2	17	3-3-3-3-4-3-4		
24 February	21	5-4-4-4-2-3-2-2	41	5-5-6-6-5-3-2-1	25	5-5-4-4-3-2-2-3		
25 February	7	2-1-3-2-3-2-1-0	20	0-0-3-6-5-2-2-0	9	1-1-3-2-3-2-1-1		
26 February	5	2-1-2-1-1-2-1-1	8	1-0-4-3-3-1-0-0	5	2-1-2-2-1-0-1-1		
27 February	2	0-0-0-0-1-2-1-1	1	0-0-0-0-1-1-0-1	4	1-0-1-1-1-1-2		
28 February	11	1-2-3-1-2-4-2-3	18	1-1-3-4-3-5-3-3	13	1-3-3-2-2-4-3-3		
01 March	23 5-4-5-4-3-2-2-2		36	4-5-5-7-2-1-2-2	28	5-5-5-4-2-2-3		




### Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
23 Feb 0106	WARNING: Geomagnetic K = 4	23/0105 - 24/0400
23 Feb 1738	ALERT: Geomagnetic K = 4	23/1738
24 Feb 0228	WARNING: Geomagnetic $K = 5$	24/0228 - 0700
24 Feb 0231	ALERT: Geomagnetic K = 5	24/0231
24 Feb 0259	WARNING: Geomagnetic $K = 6$	24/0258 - 0700
24 Feb 0355	EXTENDED WARNING: Geomagnetic K = 4	23/0105 - 24/1600
24 Feb 0652	EXTENDED WARNING: Geomagnetic K = 5	24/0228 - 1400
24 Feb 2224	WARNING: Geomagnetic $K = 4$	24/2223 - 25/0400
25 Feb 0806	WARNING: Geomagnetic $K = 4$	25/0805 - 2200
25 Feb 1956	WATCH: Geomagnetic Storm Category G1 predicted	ed
26 Feb 0801	WATCH: Geomagnetic Storm Category G1 predicted	ed
26 Feb 2053	WATCH: Geomagnetic Storm Category G1 predicte	ed
27 Feb 2124	WATCH: Geomagnetic Storm Category G1 predicte	ed
28 Feb 1655	WARNING: Geomagnetic $K = 4$	28/1655 - 01/1400
28 Feb 1757	ALERT: Geomagnetic K = 4	28/1756
01 Mar 0131	WARNING: Geomagnetic $K = 5$	01/0130 - 1400
01 Mar 0145	ALERT: Geomagnetic K = 5	01/0145
01 Mar 0755	WARNING: Geomagnetic $K = 6$	01/0755 - 1300
01 Mar 1130	CANCELLATION: Geomagnetic K = 6	
01 Mar 1319	EXTENDED WARNING: Geomagnetic K = 4	28/1655 - 02/1400



### Twenty-seven Day Outlook



Date	Radio Flux 10.7cm	Planetary A Index	Largest Kp Index	Date	Radio Flux 10.7cm	•	Largest Kp Index
Date	10.7011	A Illuca	Kp muex	Date	10.7011	A Illucx	Kp muex
02 Mar	130	25	5	16 Mar	135	15	4
03	125	15	4	17	135	15	4
04	125	10	3	18	130	8	3
05	125	8	3	19	125	5	2
06	120	8	3	20	120	5	2
07	120	8	3	21	120	5	2
08	115	8	3	22	115	15	4
09	115	5	2	23	115	20	4
10	120	5	2	24	110	8	3
11	125	5	2	25	110	5	2
12	125	5	2	26	115	5	2
13	130	5	2	27	120	15	4
14	130	8	3	28	125	30	5
15	130	5	2				



### Energetic Events

	Time			X-	-ray	_Optio	cal Informat	ion	P	eak	Sweep	Freq
		Half			Integ	Imp/	Location	Rgn	Radi	o Flux	ux Intensi	
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV

#### **No Events Observed**

### Flare List

					Optical						
		Time		X-ray	Imp/	Location	Rgn				
Date	Begin	Max	End	Class	Brtns	Lat CMD	#				
23 Feb	0010	0026	0042	C1.1			2288				
23 Feb	0307	0315	0323	B7.2	SF	S09E63	2292				
23 Feb	0929	0939	0947	B4.8			2292				
23 Feb	1157	1202	1206	B5.2			2292				
24 Feb	0836	U0836	A0841		SF	S07E05	2289				
24 Feb	0954	1057	1153	C1.4							
24 Feb	2219	2223	2227	B7.1							
26 Feb	1747	1757	1805	B4.1			2293				
26 Feb	2230	2237	2245	B4.2			2293				
27 Feb	0902	0954	1003	B9.6	SF	S14W06	2294				
27 Feb	2304	2305	2306		SF	N06E30	2293				
27 Feb	2305	2309	2312	C1.0	SF	N20W52	2290				
28 Feb	0521	0528	0540	C2.5	SF	S13W15	2294				
28 Feb	0733	0747	0755	C1.1	SF	S14W18	2294				
28 Feb	0804	0808	0811	C1.0	SF	N21E73	2290				
28 Feb	0858	0939	1007	C5.6	SF	S13W17	2294				
28 Feb	0936	0938	0945		SF	N19W59	2290				
28 Feb	1335	1340	1346	C2.2			2290				
28 Feb	2112	2142	2201	B9.7			2293				
28 Feb	2115	2119	2121		SF	N19W65	2290				
28 Feb	2139	2142	2148		SF	N06E16	2293				
28 Feb	2232	2237	2244	C1.4			2290				
28 Feb	2300	2305	2310	C1.5			2290				
01 Mar	0158	0159	0211	C1.0	SF	N19W66	2290				
01 Mar	0449	0449	0451		SF	N19W68	2290				
01 Mar	0453	0453	0503		SF	N19W68	2290				
01 Mar	0504	0513	0521	C3.7	SF	N20W66	2290				
01 Mar	0724	0725	0730		SF	N19W71	2290				
01 Mar	0855	0956	1021	B7.4			2290				
01 Mar	B0957	U0959	A1001		SF	N18W72	2290				
01 Mar	1255	1257	1302		SF	N18W74	2290				



### Flare List

					Optical					
		Time		X-ray	Imp/	Location	Rgn			
Date	Begin	Max	End	Class	Brtns	Lat CMD	#			
01 Mar	1314	1314	1321		SF	N05E09	2293			
01 Mar	1533	1613	1631	C6.8	SF	N20W74	2290			
01 Mar	1711	1713	1716		SF	N20W74	2290			



### Region Summary

	Location	on	Su	inspot C	haracte	ristics				]	Flares	,			
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			O	ptica	.1	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	on 2284												
13 Feb	N14E56	137	30	4	Cro	3	В								
14 Feb	N13E43	136	20	6	Cro	5	В								
15 Feb	N14E29	137	10	6	Bxo	2	В								
16 Feb	N15E16	137	0	1	Axx	1	Α								
17 Feb	N14E04	136	0	1	Axx	1	A								
18 Feb	N14W09	136	0	1	Axx	1	A								
19 Feb	N14W23	137	plage												
20 Feb	N14W37	137	plage								2				
21 Feb	N14W51	138	plage												
22 Feb	N14W65	139	plage												
23 Feb	N14W79	140	plage												
	l West Lim te heliograp		ngitude: 1	36				0	0	0	2	0	0	0	0
		Regi	on 2287												
18 Feb	N14E21	106	30	4	Dro	6	В				3				
19 Feb	N14E08	104	50	6	Dsi	10	В				1				
20 Feb	N14W04	104	30	8	Cri	5	В								
21 Feb	N14W18	105	30	7	Dro	5	В								
22 Feb	N15W33	107	20	4	Cro	3	В								
23 Feb	N14W46	107	30	5	Cro	4	В								
24 Feb	N14W59	106	30	7	Cro	6	В								
25 Feb	N14W72	107	10	7	Axx	5	A								
26 Feb	N14W86	107	plage												
	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7							0	0	0	4	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 104



### Region Summary - continued

	Location	on	Sunspot Characteristics					Flares							
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray		Optica		.1		
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		ъ.	2200												
		Regio	on 2289												
18 Feb	S07E69	58	10		Axx	1	A				1	1			
19 Feb	S07E55	57	10	1	Axx	1	A								
20 Feb	S07E43	57	10	1	Axx	1	A								
21 Feb	S07E29	58	10	1	Axx	1	A								
22 Feb	S07E17	57	10	1	Axx	1	A								
23 Feb	S09E05	56	plage												
24 Feb	S09W10	57	10	6	Bxo	4	В				1				
25 Feb	S10W23	58	10	2	Axx	2	A								
26 Feb	S10W37	58	10	2	Axx	2	A								
27 Feb	S10W51	59	plage												
28 Feb	S10W65	60	plage												
01 Mar	S10W79	61	plage												
								0	0	0	2	1	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic lon	igitude: 5	6											
		Regi	on 2290												
18 Feb	N19E70	57	10	1	Axx	1	A								
19 Feb	N19E54	58	30	5	Dro	7	В				3				
20 Feb	N19E43	57	20	4	Dri	3	В								
21 Feb	N19E31	56	30	7	Cro	3	В								
22 Feb	N20E18	56	30	7	Dro	3	В								
23 Feb	N20E05	56	40	6	Dao	8	В								
24 Feb	N20W08	55	70	7	Dai	11	В								
25 Feb	N19W22	57	70	8	Dao	15	В								
26 Feb	N19W36	57	50	8	Cao	5	В								
27 Feb	N19W50	58	30	8	Cro	3	В	1			1				
28 Feb	N22W63	58	40	8	Cao	3	В	4			3				
01 Mar	N20W83	65	40	4	Hsx	2	A	3			9				
								8	0	0	16	0	0	0	0

Still on Disk. Absolute heliographic longitude: 56



# Region Summary - continued

	Location	on	Su	ınspot C	haracte	ristics				]	Flares	}			
		Helio	Area	Extent	Spot	Spot	Mag	X	-ray			0	ptica	.1	
Date	Lat CMD	Lon	10 <sup>-6</sup> hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	on 2291												
22 Feb	N13W02	76	10	3	Axx	2	A								
22 Feb	N13W16	77	plage	3	IIAA	2	71								
24 Feb	N13W30	77	plage												
25 Feb	N13W44	79	plage												
26 Feb	N13W58	79	plage												
27 Feb	N13W72	80	plage												
28 Feb	N13W86	81	plage												
								0	0	0	0	0	0	0	0
	West Liml														
Absolut	e heliograp	hic lon	gitude: 7	6											
		Regio	on 2292												
23 Feb	S09E50	11	10	2	Bxo	2	В								
24 Feb	S09E38	9	10	2	Bxo	2	В								
25 Feb	S08E25	10	10	1	Axx	$\frac{1}{2}$	Ā								
26 Feb	S08E11	10	plage												
27 Feb	S08W03	11	plage												
28 Feb	S09W16	11	10	1	Axx	1	A								
01 Mar	S09W31	13	30	5	Dai	5	В								
Still on	Dick							0	0	0	0	0	0	0	0
	e heliograp	hic lon	gitude: 1	1											
		Regio	on 2293												
26 Feb	N06E42	339	10	2	Axx	2	٨								
20 Feb 27 Feb	N06E42 N06E29	339	90	2 7	Dac	10	A BD				1				
28 Feb	N06E15	340	80	7	Dac	16	BG				1				
	N06E02	340	80	9	Dac	15	BG				1				
0								0	0	0	3	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic lon	gitude: 3	40											
		Regio	on 2294												
27 Feb	S14W14	22	80	9	Dai	15	BG				1				
28 Feb	S14W14 S14W28	23	90	6	Dai	10	BG	3			3				
01 Mar	S14W43	25	60	6	Bxo	4	В	3			J				
0 1 1 1 ml	32		00	Ü	2110	•	D	3	0	0	4	0	0	0	0
Still on Absolut	Disk. e heliograp	hic lon	gitude: 2	2							-				




### Recent Solar Indices (preliminary) Observed monthly mean values

		(	Sunspot Nu			Radio	Flux	Geoma	gnetic
	Observe	ed values	•	Smooth	values	Penticton		Planetary	-
Month	SEC		RI/SEC	SEC	RI	10.7 cm	Value	Ap	Value
				,	2013			_	
March	81.0	57.9	0.71	85.7	57.6	111.2	117.1	9	7.4
April	112.8	72.4	0.64	86.7	57.9	125.0	116.6	5	7.2
May	125.5	78.7	0.63	90.5	59.9	131.3	118.1	10	7.0
June	80.1	52.5	0.66	94.4	62.6	110.2	120.9	13	7.1
July	86.1	57.0	0.66	97.9	65.5	115.6	123.9	9	7.3
August	90.2	66.0	0.73	103.7	68.9	114.7	127.9	9	7.6
September	55.0	37.0	0.67	111.0	73.0	102.7	132.3	5	7.8
October	127.1	85.6	0.67	114.3	74.9	132.3	134.7	7	7.8
November	125.7	77.6	0.62	114.6	75.3	148.4	135.4	5	7.9
December	118.2	90.3	0.76	115.4	75.9	147.7	135.9	5	7.5
				,	2014				
January	125.9	81.8	0.65	117.7	77.3	158.6	137.3	6	7.1
February	174.6	102.3	0.59	119.5	78.3	170.3	138.6	12	6.9
March	141.1	91.9	0.65	123.2	80.8	149.9	140.8	6	7.2
April	130.5	84.7	0.65	124.8	81.9	144.3	143.5	9	7.5
May	116.8	75.2	0.64	122.3	80.5	130.0	144.7	7	7.9
June	107.7	71.0	0.66	121.4	79.7	122.2	145.5	7	8.4
July	113.6	72.4	0.64	120.4	78.6	137.3	145.2	5	8.8
August	106.2	74.6	0.70	115.1	75.6	124.7	142.8	9	8.9
September	127.4	87.6	0.69			146.1		11	
October	92.0	60.6	0.66			153.7		10	
November		70.1	0.69			155.3		10	
December	120.0	78.0	0.65			158.7		12	
				,	2015				
January	101.2	67.0	0.66	-	y — <del>y</del>	141.7		10	
February	70.6	44.8	0.63			128.8		10	

**Note:** Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 23 February 2015

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 23 February 2015

The x-ray plots contains five-minute averages x-ray flux (Watt/ $m^2$ ) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm $^2$ -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



#### Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

**Notice:** The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr\_guide.pdf -- User Guide

